



CB-248xx-xxKI Series Overviews

19" / 21" / 23" / 24" server cabinet for Network & communication solution

CB-24XXX Series Cabinet / Rack



248xxx-xxKI



U	SU	Height (mm)	T.H. (mm)	Depth Model No.	Depth							
					300mm	350mm	400mm	450mm	500mm	550mm	600mm	650mm
21	37	1000	1100	W=800mm	24830-21KI	24835-21KI	24840-21KI	24845-21KI	24850-21KI	24855-21KI	24860-21KI	24865-21KI
23	41	1100	1200	W=800mm	24830-23KI	24835-23KI	24840-23KI	24845-23KI	24850-23KI	24855-23KI	24860-23KI	24865-23KI
25	45	1200	1300	W=800mm	24830-25KI	24835-25KI	24840-25KI	24845-25KI	24850-25KI	24855-25KI	24860-25KI	24865-25KI
27	49	1300	1400	W=800mm	24830-27KI	24835-27KI	24840-27KI	24845-27KI	24850-27KI	24855-27KI	24860-27KI	24865-27KI
30	53	1400	1500	W=800mm	24830-30KI	24835-30KI	24840-30KI	24845-30KI	24850-30KI	24855-30KI	24860-30KI	24865-30KI
32	57	1500	1600	W=800mm	24830-32KI	24835-32KI	24840-32KI	24845-32KI	24850-32KI	24855-32KI	24860-32KI	24865-32KI
34	61	1600	1700	W=800mm	24830-34KI	24835-34KI	24840-34KI	24845-34KI	24850-34KI	24855-34KI	24860-34KI	24865-34KI
36	65	1700	1800	W=800mm	24830-36KI	24835-36KI	24840-36KI	24845-36KI	24850-36KI	24855-36KI	24860-36KI	24865-36KI
39	69	1800	1900	W=800mm	24830-39KI	24835-39KI	24840-39KI	24845-39KI	24850-39KI	24855-39KI	24860-39KI	24865-39KI
41	73	1900	2000	W=800mm	24830-41KI	24835-41KI	24840-41KI	24845-41KI	24850-41KI	24855-41KI	24860-41KI	24865-41KI
43	77	2000	2100	W=800mm	24830-43KI	24835-43KI	24840-43KI	24845-43KI	24850-43KI	24855-43KI	24860-43KI	24865-43KI
45	81	2100	2200	W=800mm	24830-45KI	24835-45KI	24840-45KI	24845-45KI	24850-45KI	24855-45KI	24860-45KI	24865-45KI
48	85	2200	2300	W=800mm	24830-48KI	24835-48KI	24840-48KI	24845-48KI	24850-48KI	24855-48KI	24860-48KI	24865-48KI

The green color is the meaning for it's Width.
 The red color is the meaning for it's Depth.
 The light blue color is the meaning for it's Height.

Color choose : Fill number 5, 1 in the

5 - RAL7035 Beige

1 - RAL9011 Black

U	700mm	750mm	800mm	850mm	900mm	950mm	1000mm	1050mm	1100mm	1150mm	1200mm
21	24870-21KI	24875-21KI	24880-21KI	24885-21KI	24890-21KI	24895-21KI	248100-21KI	248105-21KI	248110-21KI	248115-21KI	248120-21KI
23	24870-23KI	24875-23KI	24880-23KI	24885-23KI	24890-23KI	24895-23KI	248100-23KI	248105-23KI	248110-23KI	248115-23KI	248120-23KI
25	24870-25KI	24875-25KI	24880-25KI	24885-25KI	24890-25KI	24895-25KI	248100-25KI	248105-25KI	248110-25KI	248115-25KI	248120-25KI
27	24870-27KI	24875-27KI	24880-27KI	24885-27KI	24890-27KI	24895-27KI	248100-27KI	248105-27KI	248110-27KI	248115-27KI	248120-27KI
30	24870-30KI	24875-30KI	24880-30KI	24885-30KI	24890-30KI	24895-30KI	248100-30KI	248105-30KI	248110-30KI	248115-30KI	248120-30KI
32	24870-32KI	24875-32KI	24880-32KI	24885-32KI	24890-32KI	24895-32KI	248100-32KI	248105-32KI	248110-32KI	248115-32KI	248120-32KI
34	24870-34KI	24875-34KI	24880-34KI	24885-34KI	24890-34KI	24895-34KI	248100-34KI	248105-34KI	248110-34KI	248115-34KI	248120-34KI
36	24870-36KI	24875-36KI	24880-36KI	24885-36KI	24890-36KI	24895-36KI	248100-36KI	248105-36KI	248110-36KI	248115-36KI	248120-36KI
39	24870-39KI	24875-39KI	24880-39KI	24885-39KI	24890-39KI	24895-39KI	248100-39KI	248105-39KI	248110-39KI	248115-39KI	248120-39KI
41	24870-41KI	24875-41KI	24880-41KI	24885-41KI	24890-41KI	24895-41KI	248100-41KI	248105-41KI	248110-41KI	248115-41KI	248120-41KI
43	24870-43KI	24875-43KI	24880-43KI	24885-43KI	24890-43KI	24895-43KI	248100-43KI	248105-43KI	248110-43KI	248115-43KI	248120-43KI
45	24870-45KI	24875-45KI	24880-45KI	24885-45KI	24890-45KI	24895-45KI	248100-45KI	248105-45KI	248110-45KI	248115-45KI	248120-45KI
48	24870-48KI	24875-48KI	24880-48KI	24885-48KI	24890-48KI	24895-48KI	248100-48KI	248105-48KI	248110-48KI	248115-48KI	248120-48KI

Features:

- Applications for server system, telecommunication system, community network, network system, monitoring system.
- Meets 19" industrial standard, such as ANSI/EIA-RS-310C
- "D.I.Y." package for saving more freight cost and room.
- Elegant design can be a wall decoration.
- Four additional entries on the roof and plinth are good for the cable management.
- The vented design on the top panel , the bottom panel & the front door can efficiently reduce the interior heat for higher ventilation.
- Sponges on cable entries can block dusty and keep cable and keep the system secure.
- Design of the roof & the plinth for easily assembly & dismantled.
- Tempered on the door can keep security of the system and convenient to monitor the condition without opening the door.
- Powder coating for RoHS compliant .
- Black & Beige for color selections .
- All product are made in Taiwan.