SS-126TM

12-Bay 2.5" SAS/SATA HDD Backplane Module in 3 x 5.25" Bay





The SS-126TM allows up to 12 SATA or SAS drives to be installed into any three 5.25 inch device bays for a convenient data exchange. Choice model for the multi-bay 2.5" HDD backplane. Simply rugged and high anti-vibration standard products and worry-free of the heat and vibration! Now an IPC industrial standard is also for soho and consumers.

Features

- ♦ Multi-bay backplane for 2.5" HDD(SSD) data transferring solution
- ♦ Allow to install 12 x 2.5" SATA(SAS) hard drives or SSDs
- ♦ With 12 individual carrier for swapping in/out
- ◆ Support 2.5" SATA I,II,III, SAS I, II or SSD(height up to 12.7 mm)
- **♦** Support SATA and also SAS primary channel
- **♦** Easy drives swap in/out or for transportation
- ♦ Side sliding rails with vibration reducing springs
- ♦ With high performance cooling fan for quick and fast heat sink
- ♦ Individual LED for the 12 drives -- Blue for power on and purple blinking for accessing.
- ♦ With LEDD indication for fan failure and overheating
- ♦ With HDD accessing On/Off Control LED Switch
- ♦ With extending LED functioning jumper for external connection


Specification

Model No.	SS-126TM
Form Factor	3 x 5.25" Bay for 12 x 2.5" HDD (SSD)
Support HDD Type	2.5" SSD SATA I / II / III & SAS I / II
Interface	7pin SATA signal connector x 12 & 15pin SATA power connector x 3
Indicators	Blue for Power on / Purple for HDD Access LED Fan failure: Solid RED Overheating: Solid RED LED indicating On / Off Switch
Security	Metal Key Lock for each HDD tray
Material	Aluminum
Cooling Fan	8 x 8cm fan x 1 with High / Low speed switch
Compatibility	Windows / Linux / Mac
Dimension	164 (L) x 176 (W) x 127.5 (H) mm
Weight	1.75kgs
Package	Universal Box ; Screw Bag ; Universal Carton ; Without Cable ; With Manual



Front Detail

- 1. HDD LED, Power ON LED indicates Blue Purple blinking for HDD access
- 2. Safety Lock.
 The safety lock safeguards the tray fixed
- 3. Temperature & FAN status LED solid Red for failure
- 4. Aluminum Body



Back Detail

- 1. SATA 7Pin data signal connector for SATA or SAS primary channel connections
- 2. Cooling Fan(80 x 80 x15mm)
- 3. Switch for cooling fan High or Low speed
- 4. HDD LED functioning ON/OFF switch
- 5. HDD LED External Signal Pin Slot
- 6. Temperature status & FAN status External Signal Pin Slot
- 7. 15pin Power connector